











Your Reliable Partner in Piping Material





**Pipes** 

Pipe fittings

**Olets** 

**Flanges** 

**Valves** 

Hipps

Pipe Bend

**Forged Fitting** 

Manifolds

**Insulating Joints** 

Y-Strainer

Wire mesh

**Fasteners** 

## PIPES



#### SEAMLESS/ERW

Bestway brings a wide range of seamless & ERW Pipe from the leading manufacturers in Europe, Korea & Japan.

The pipes are manufactured with MTC in accordance with

Bestway is committed to supply high quality pipes made of various International standards including API certification. Mainly we are supplying

#### RANGES

1/2 inch to 24 inches in seamless & upto 56 inches in ERW of varoius schedules (SCH-20, STD, 40, XS, 80,120,160, & XXS) Certified with MTC complying API 5L standards . Single Random Length (SRL) / Double Random Length (DRL)





### PIPE FITTINGS



### Elbow, Tee, Reducers & Caps

We have a wide range of Butt weld fittings made of high quality Stainless, Alloy & Carbon steels. Our range of materials are manufactured by internationally reputed companies from Europe, Korea, Japan and made of high quality materials confirm to ANSI B16.9 ASTM A234 WPB & WPL6 grades.

The size ranges are from 1/2 inch to 24 inches in seamless and upto 76 inches in welded this pipes to Marine, Petrochemical & Oil field Industries.

## 0 LETS

#### Weldolet, Sockolet & Threadolet

The above mentioned Olets is an economical Butt weld branch connection. It is designed to minimize stress concentrations & provide integral reinforcement.

The outside connections comes in welding, socketing and threading in 2000,3000,6000 pressure classes.



## **FLANGES**



### Weldneck, Slip-on, Blind, Screwed and Socket Weld.

Mainly we have huge stock of forged flanges in various types as mentioned above from Europe, Korea and India. Class 150,300 600,900,1500 & 2500, EN PN16 till PN100 is available in Raised Face (RF) and Flat Face (FF) ANSI, B16.5, ANSI B16.36, ANSI B16.47 - A & B, DIN /EN1092-1 and API 6A

Grades - ASTM, A105, A350 LF2 etc normalized all accordance with nace.

### VALVES

Gate, Globe, Ball, Check, Butterfly and Double Block and Bleed Valves

Bestway's fluid system offers a wide range of quality valves from approved vendors such as ALCO, QUAM, FLV, VALVEITALIA Bonnyforge,

Fumagally, JC Spain from Europe and USA. Also types of collections such as Threadolet , Socketweld and Flanged are available in our stock.



## HIPPS



A high-integrity pressure protection system (HIPPS) is a type of safety instrumented system (SIS) designed to prevent over-pressurization of a plant, such as a chemical plant or oil refinery.

## PIPE BEND

Long Radius Bend, Piggable Bend, Induction Bend R - 3D, 5D,6D, 8D, 10D & 20D

We provide LR Bend, which is designed in compliance with International quality standards. Available in different sizes, the bend is appreciated for high efficiency and excellent finish. We also offer customization on our range as per the clients specification.

Steel Bend - Standard ASTM A234 WPB/ MSS-SP-75, ASTM/ASME SA815 ASTM/ASME A/SA 403 GR WP "S"/ "W"/"WX"

Grade - 304, 304L,304H,309S,309H,310S,310S, 310H,316,316TI,316H,316L,316LN,317,317L,321,321H,3 47,347H,904L



## FORGED FITTINGS



### Elbow, Tee, Coupling, Reducers, Union

We have a wide range of forged fittings made of high quality Stainless Steel and Carbon Steel. Our range of materials are manufactured by internationally reputed companies from Europe, Korea and Thailand. Quality materials confirm to ANSI ASTM A105, A350 LF2 etc.

Elbow 90° Union Elbow45° Coupling Equal Tee Hex Plug Reducing Tee Round Plug

Nipple (Bush

Caps Socket

The connections are coming in socketing & threading in 2000,3000 & 6000 classes.

## Manifolds

Manifolds are used for full-flow applications such as cement and mud systems, where a minimum pressure drop is required. The fittings are designed to withstand erosion from these fast-flow conditions.



# **INSULATING JOINTS**



Insulating joints (or isolating joints or isolation joints) provide electrical isolation and cathodic protection in pipeline, tanks and pumping station where petroleum, gas and water are carrier fluid.








































NOMINAL PIPE SIZE	OD-MM	10	20	30	STD	40	60	XS	80	100	120	140	160	xxs
1/8"	10.30				1.73 0.37	1.73 0.37		2.41 0.47	<b>2.41</b> 0.47					
1/4"	13.70				2.24 0.63	2.24 0.63		3.02	3.02 0.8					
3/8"	17.10				2.31 0.84	2.31 0.84		3.2 1.1	3.2 1.1					
1/2"	2130				2.77 1.27	2.77 1.27		3.73 1.62	3.73 1.62				<b>4.78</b> 1.95	7.47 2.55
3/4"	26.70				2.87	2.87 1.59		3.91	3.91				5.56 2.9	7.82 3.64
1"	33.40				3.38 2.50	3.38		4.55 3.24	4.55 3.24				6.35 4.24	9.09
11/4"	42.20				3.56 3.39	3.56 3.39		4.85 4.47	4.85 4.47				6.35 5.61	9.7
1 1/2	48.30				3.68 4.05	3.68 4.05		5.08 5.41	5.08 5.41				7.14 7.25	10.15 9.56
2"	60.30				3.91 5.44	3.91 5.44		5.54 7.48	5.5 <b>4</b> 7.48				8.74 11.11	11.07 13.44
2 1/2	73.00				5.16 8.63	5.16 8.63		7.01 11.41	7.01 11.41				9.53	14.02
3	88.90				5.49 11.29	5.49 11.29		7.62 15.27	7.62 15.27				11.13 21.35	15.24 27.68
3 1/2	101.00				5.74 13.57	5.74 13.57		8.08 22.32	8.08 22.32				21.35	27.00
4	114.30				6.02	6.02		8.56	8.56		11.13		13.49	17.12
5	141.30				16.07 <b>6.55</b>	16.07 <b>6.55</b>		9.53	9.53		28.32 12.7		33.54 15.88	41.03 <b>19.05</b>
6	168.30				21.77 <b>7.11</b>	21.77 <b>7.11</b>		30.97 10.97	30.97 10.97		40.28 14.27		19.05 18.26	57.43 21.95
8	219.10		6.35 33.31	<b>7.04</b> 38.81	28.26 <b>8.18</b>	28.26 8.18	10.31	42.56 12.7	42.56 <b>12.7</b>	15.09	54.2 18.26	20.62	67.56 23.01	79.11 22.23
10	273.10		6.35 41.77	7.8 51.03	42.55 9.27	42.56 9.27	53.08 12.7	64.64 12.7	64.64 15.09	75.92 <b>18.26</b>	90.44 <b>21.44</b>	100.62 25.4	111.27 28.58	107.92 25.4
12	323.90		6.35 49.73	8.38 66.2	9.53	60.31 10.31	81.55 14.27	81.55 12.7	95.01 <b>17.48</b>	114.75 <b>21.44</b>	133.06 25.4	155.15 28.58	172.33 33.32	155.15 25.4
14	355.60	6.35	7.92	9.53	73.88 9.53	79.65 11.13	108.95 15.09	97.46 <b>12.7</b>	132.06 19.05	159.91 23.83	166.97 <b>27.79</b>	208.14 31.75	238.76 35.71	186
16	406.40	54.69 <b>6.35</b>	67.9 7.92	9.53	9.53	94.55	126.71 <b>16.66</b>	107.39 12.7	158.1 <b>21.44</b>	194.96 <b>26.19</b>	234.86 30.96	253.56 36.53	261.7 40.49	
18	457.00	62.64	77.83 <b>7.92</b>	93.27	93.27 <b>9.53</b>	123.3 14.27	160.12 19.05	123.3 12.7	203.53 23.88	29.36 29.36	266.54 <b>34.93</b>	33.19 <b>39.67</b>	365.35 <b>45.24</b>	
20	508.00	70.57 <b>6.35</b>	9.53	122.38 12.7	105.16 9.53	155.8 <b>15.09</b>	205.74	199.15 <b>12.7</b>	254.55 <b>26.19</b>	309.62 <b>32.54</b>	363.56 38.1	408.26 <b>44.45</b>	459.37 <b>50.01</b>	
22	559.00	78.55 <b>6.35</b>	9.53	155.12 12.7	9.53	183.42	22.23	155.22 <b>12.7</b>	311.17 28.58	381.53 <b>34.93</b>	441.49 <b>41.28</b>	508.11 <b>47.63</b>	564.51 <b>53.98</b>	
24	610.00	86.54 <b>6.35</b>	129.13 <b>9.53</b>	171.09 <b>14.27</b>	129.13 <b>9.53</b>	17.48	63 <b>24.61</b>	171.09 <b>12.7</b>	373.83 <b>30.96</b>	451.42 38.89	527.02 <b>46.02</b>	600.53 <b>52.37</b>	672.26 <b>59.54</b>	
26	660.00	94.53 <b>7.92</b>	141.12 <b>12.7</b>	209.64	141.12 9.53	255.41	294.25	187.06 <b>12.7</b>	442.08	547.71	640.03	808.22	808.22	
28	711.00	127.36 <b>7.92</b>	202.72 <b>12.7</b>	15.88	152.87 <b>9.53</b>		355.26	202.72 <b>12.7</b>						
30	762.00	137.32 <b>7.92</b>	218.6 <b>12.7</b>	271.21 <b>15.88</b>	164.85 <b>9.53</b>			218.69 <b>12.7</b>						
32	813.00	147.28 <b>7.92</b>	232.67 <b>12.7</b>	292.18 <b>15.88</b>	176.84 <b>9.53</b>	17.48		234.67 <b>12.7</b>						
34	864.00	157.24 <b>7.92</b>	234.68 <b>12.7</b>	312.15 <b>15.88</b>	188.82 <b>9.53</b>	342.91 <b>17.48</b>		250.64 <b>12.7</b>						
36	L	167.2 <b>7.92</b>	268.61 <b>12.7</b>	332.12 <b>15.88</b>	200.31 <b>9.53</b>	364.9 <b>19.05</b>		266.61 <b>12.7</b>						
Del lowered	914.00	176.96	282.27	351.7	212.56 <b>9.53</b>	420.42		282.27 <b>12.7</b>						
38	965.00				224.54 9.53			296.24 <b>12.7</b>						
40	1016.00				236.53 9.53			314.22 12.7						
42	1067.00				248.52 9.53			330.19 12.7						
44	1118.00				260.50 9.53			346.16 12.7						
46	1168.00				9.53 272.25 9.53			351.82 12.7						
48	1219.00				9.53 284.24			12.7 377.79						

## BESTWAY OILFIELDS FZCO

Jebel Ali Freezone LB 01, 110, Dubai, UAE Tel: 00971 4 88 06 775 Fax: 00971 4 88 06 703



P.O.Box:37178, Ind.area-7,

Sharjah, UAE.

Tel: 00971-6-5303430 Fax:00971-6-5303544



bstway@eim.ae sales@bestwayoge.com mail@bestwayoge.com

www.bestwayoge.com

